Document I

Proposed Amendments to the Pollution Control Standards For Discharges to the Ohio River (2013 Revision)

The Commission seeks public comment on proposed amendments to the Pollution Control Standards. With respect to the Commission proposal to modify the Mixing Zone Prohibition for Bioaccumulative Chemicals of Concern (BCCs), the Commission also invites comment (with scientific support, if available) on alternatives to the Commission proposal, including elimination of the Mixing Zone Prohibition for BCCs, or maintaining the current Mixing Zone Prohibition for BCCs, which is scheduled to go into effect on October 16, 2015 unless the Commission proposal is finalized.

Proposed Amendment to Chapter 4.F. Mixing Zone Prohibition for Bioaccumulative Chemicals of Concern (pg. 18)

Proposal eliminates the effective date of October 16, 2015, requires that mixing zones for existing facilities be eliminated as soon as practicable as determined by the permitting authority, and adds guidance as contained in 1.i. and 1.ii. The proposal also adds provision numbers 2., 3., and 5.

1. Facilities with discharges which were in existence on or before October 16, 2003 will have mixing zones eliminated for any bioaccumulative chemical of concern (BCC) as soon as is practicable, as determined by the permitting authority, considering the following criteria:

    i. Measures taken during the current permit cycle and an evaluation of those measures proposed to be taken during the next permit cycle to reduce or eliminate the necessity of a mixing zone for each BCC;

    ii. The concentration and duration of the discharge, bioaccumulation factors and exposure considerations for each BCC for which the mixing zone is sought to be continued.

2. The necessity for continuation of a mixing zone for a BCC shall be evaluated and determined by the permitting authority during each permit renewal and reissuance.

3. The addition of waste streams to an existing facility shall be evaluated under this section by the permitting authority at the time of permit review.

4. Mixing zones shall continue to be prohibited for BCCs for discharges from facilities that came into existence after October 16, 2003.

5. No mixing zone for a BCC shall be approved by a permitting authority that would result in a violation of any water quality standard or impairment of any designated use of a waterbody.

6. BCCs are defined as any chemicals that accumulate in aquatic organisms by a human health bioaccumulation factor (BAF) greater than 1000 (after considering various specified factors), and have the potential upon entering surface waters to cause adverse effects, either by themselves or in the form of their toxic transformation, as a result of that accumulation. Currently, the list of BCCs, as described in the Final Rule to Amend the Final Water Quality Guidance for the Great Lakes System to Prohibit Mixing Zones for Bioaccumulative Chemicals of Concern, includes:

Bioaccumulative Chemicals of Concern

Lindane	Mirex
Hexachlorocyclohexane	Hexachlorobenzene
alpha-Hexachlorocyclohexane	Chlordane
beta-Hexachlorocyclohexane	DDD
delta-Hexachlorocyclohexane	DDT
Hexachlorobutadiene	DDE
Photomirex	Octachlorostyrene
1,2,4,5-Tetrachlorobenzene	PCBs
Toxaphene	2,3,7,8-TCDD
Pentachlorobenzene	Mercury
1,2,3,4-Tetrachlorobenzene	Dieldrin

Request for Input on Total Mercury Water Quality Criterion, Chapter 3.3.B Chemical Constituents (pg. 16)

This is a request for input on the "not to exceed" component of the total mercury water quality criterion. Following public input on this issue, a specific proposal may be put forth for consideration by the Commission at its October 2015 meeting. (See section further below on Specification of Frequency and Duration For Numeric Criteria).

Proposed Amendment to Chapter 3.1, Footnote D. pg. 11)

Proposal clarifies footnote D, Chapter 3.1, page 11, that "intakes" means "drinking water intakes."

[D] Criteria applies at drinking water intakes.

Proposed Amendment to Chapter 3.2.E. Ammonia Criteria for Aquatic Life Protection (pg. 13 and Appendix A)

The proposal is to adopt the USEPA's current recommended national criteria for ammonia for the protection of aquatic life which also includes the tables for mussels absent as contained in the USEPA's recommended criteria appendix "Site-Specific Criteria for Ammonia."

E. AMMONIA:

1. Acute Criterion Concentration: The one-hour average concentration of total ammonia nitrogen (mg/L) shall not exceed, more than once every three years on the average, the ACC (acute criterion) calculated using the following equations:

   i. If unionid mussels are present:

$$ACC = 0.7249 * \left(\frac{0.0114}{1+10^{7.204-ph}} + \frac{1.6181}{1+10^{ph-7.204}}\right) * MIN(51.93 \; or \; 23.12 * 10^{0.036*(20-T)})$$

   Where: T = Temperature, °C.

   ii. If unionid mussels are absent:

$$ACC = 0.7249 * \left(\frac{0.0114}{1+10^{7.204-ph}} + \frac{1.6181}{1+10^{ph-7.204}}\right) * MIN(51.93 \; or \; 62.15 * 10^{0.036*(20-T)})$$

   Where: T = Temperature, °C.

2. Chronic Criterion Concentration: The 30-day rolling average concentration of total ammonia nitrogen (mg/L) shall not exceed, more than once every three years on the average, the CCC (chronic criterion) calculated using the following equations:

   i. If unionid mussels are present:

$$CCC = 0.8876 * \left(\frac{0.0278}{1+10^{7.688-ph}} + \frac{1.1994}{1+10^{ph-7.688}}\right) * (2.126 * 10^{0.028*(20-MAX(T \; or \; 7))})$$

   Where: T = Temperature, °C.

   ii. If unionid mussels are absent and when fish early life stages are present (from March 1 to October 31):

$$CCC = 0.9405 * \left(\frac{0.0278}{1+10^{7.688-ph}} + \frac{1.1994}{1+10^{ph-7.688}}\right) * MIN(6.920 \; or \; 7.547 * 10^{0.028*(20-T)})$$

Where: T = Temperature, °C.

iii. If unionid mussels are absent and when fish early life stages are absent (from November 1 to the last day of February):

$$CCC = 0.9405 * \left(\frac{0.0278}{1+10^{7.688-ph}} + \frac{1.1994}{1+10^{ph-7.688}}\right) * \left(7.547 * 10^{0.028*(20-MAX(T\ or\ 7))}\right)$$

Where: T = Temperature, °C.

iv. In addition, the highest four-day average within the 30-day period should not exceed 2.5 times the chronic criterion.

Note: Acute and chronic criteria concentrations for total ammonia-nitrogen (in mg/L) for different combinations of pH and temperature are shown in Appendix A.

Appendix A

Acute and Chronic Criteria Concentrations for Total Ammonia Nitrogen (in mg/L) For Varying Combinations of pH and Temperature

Table A1: Temperature and pH-Dependent Values of the Acute Criterion for Total Ammonia Nitrogen; Unionid Mussels Present

pH	Temperature, Celsius																				
	0-10	**11**	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**	**21**	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
6.5	51	48	44	41	37	34	32	29	27	25	23	21	19	18	16	15	14	13	12	11	9.9
6.6	49	46	42	39	36	33	30	28	26	24	22	20	18	17	16	14	13	12	11	10	9.5
6.7	46	44	40	37	34	31	29	27	24	22	21	19	18	16	15	14	13	12	11	9.8	9.0
6.8	44	41	38	35	32	30	27	25	23	21	20	18	17	15	14	13	12	11	10	9.2	8.5
6.9	41	38	35	32	30	28	25	23	21	20	18	17	15	14	13	12	11	10	9.4	8.6	7.9
7.0	38	35	33	30	28	25	23	21	20	18	**17**	15	14	13	12	11	10	9.4	8.6	7.9	7.3
7.1	34	32	30	27	25	23	21	20	18	17	15	14	13	12	11	10	9.3	8.5	7.9	7.2	6.7
7.2	31	29	27	25	23	21	19	18	16	15	14	13	12	11	9.8	9.1	8.3	7.7	7.1	6.5	6.0
7.3	27	26	24	22	20	18	17	16	14	13	12	11	10	9.5	8.7	8.0	7.4	6.8	6.3	5.8	5.3
7.4	24	22	21	19	18	16	15	14	13	12	11	9.8	9.0	8.3	7.7	7.0	6.5	6.0	5.5	5.1	4.7
7.5	21	19	18	17	15	14	13	12	11	10	9.2	8.5	7.8	7.2	6.6	6.1	5.6	5.2	4.8	4.4	4.0
7.6	18	17	15	14	13	12	11	10	9.3	8.6	7.9	7.3	6.7	6.2	5.7	5.2	4.8	4.4	4.1	3.8	3.5
7.7	15	14	13	12	11	10	9.3	8.6	7.9	7.3	6.7	6.2	5.7	5.2	4.8	4.4	4.1	3.8	3.5	3.2	2.9
7.8	13	12	11	10	9.3	8.5	7.9	7.2	6.7	6.1	5.6	5.2	4.8	4.4	4.0	3.7	3.4	3.2	2.9	2.7	2.5
7.9	11	9.9	9.1	8.4	7.7	7.1	6.6	6.0	5.6	5.1	4.7	4.3	4.0	3.7	3.4	3.1	2.9	2.6	2.4	2.2	2.1
8.0	8.8	8.2	7.6	7.0	6.4	5.9	5.4	5.0	4.6	4.2	3.9	3.6	3.3	3.0	2.8	2.6	2.4	2.2	2.0	1.9	1.7
8.1	7.2	6.8	6.3	5.8	5.3	4.9	4.5	4.1	3.8	3.5	3.2	3.0	2.7	2.5	2.3	2.1	2.0	1.8	1.7	1.5	1.4
8.2	6.0	5.6	5.2	4.8	4.4	4.0	3.7	3.4	3.1	2.9	2.7	2.4	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2
8.3	4.9	4.6	4.3	3.9	3.6	3.3	3.1	2.8	2.6	2.4	2.2	2.0	1.9	1.7	1.6	1.4	1.3	1.2	1.1	1.0	0.96
8.4	4.1	3.8	3.5	3.2	3.0	2.7	2.5	2.3	2.1	2.0	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1.0	0.93	0.86	0.79
8.5	3.3	3.1	2.9	2.7	2.4	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.90	0.83	0.77	0.71	0.65
8.6	2.8	2.6	2.4	2.2	2.0	1.9	1.7	1.6	1.5	1.3	1.2	1.1	1.0	1.0	0.88	0.81	0.75	0.69	0.63	0.58	0.54
8.7	2.3	2.2	2.0	1.8	1.7	1.6	1.4	1.3	1.2	1.1	1.0	0.94	0.87	0.80	0.74	0.68	0.62	0.57	0.53	0.49	0.45
8.8	1.9	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1.0	0.93	0.86	0.79	0.73	0.67	0.62	0.57	0.52	0.48	0.44	0.41	0.37
8.9	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.93	0.85	0.79	0.72	0.67	0.61	0.56	0.52	0.48	0.44	0.40	0.37	0.34	0.32
9.0	1.4	1.3	1.2	1.1	1.0	0.93	0.86	0.79	0.73	0.67	0.62	0.57	0.52	0.48	0.44	0.41	0.37	0.34	0.32	0.29	0.27

Table A2: Temperature and pH-Dependent Values of the Acute Criterion for Total Ammonia Nitrogen; Unionid Mussels Absent

pH	Temperature, Celsius																
	0-14	**15**	**16**	**17**	**18**	**19**	**20**	**21**	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
6.5	51	51	51	51	51	51	51	51	51	48	44	40	37	34	31	29	27
6.6	49	49	49	49	49	49	49	49	49	46	42	39	36	33	30	28	26
6.7	46	46	46	46	46	46	46	46	46	43	40	37	34	31	29	26	24
6.8	44	44	44	44	44	44	44	44	44	41	38	35	32	29	27	25	23
6.9	41	41	41	41	41	41	41	41	41	38	35	32	30	27	25	23	21
7.0	38	38	38	38	38	38	**38**	38	38	35	32	30	27	25	23	21	20
7.1	34	34	34	34	34	34	34	34	34	32	29	27	25	23	21	19	18
7.2	31	31	31	31	31	31	31	31	31	29	26	24	22	21	19	17	16
7.3	27	27	27	27	27	27	27	27	27	26	23	22	20	18	17	16	14
7.4	24	24	24	24	24	24	24	24	24	22	21	19	17	16	15	14	13
7.5	21	21	21	21	21	21	21	21	21	19	18	16	15	14	13	12	11
7.6	18	18	18	18	18	18	18	18	18	17	15	14	13	12	11	10	9.3
7.7	15	15	15	15	15	15	15	15	15	14	13	12	11	10	9.3	8.6	7.9
7.8	13	13	13	13	13	13	13	13	13	12	11	10	9.2	8.5	7.8	7.2	6.6
7.9	11	11	11	11	11	11	11	11	11	9.9	9.1	8.4	7.7	7.1	6.5	6.0	5.5
8.0	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.2	7.5	6.9	6.4	5.9	5.4	5.0	4.6
8.1	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	6.8	6.2	5.7	5.3	4.9	4.5	4.1	3.8
8.2	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	5.6	5.1	4.7	4.4	4.0	3.7	3.4	3.1
8.3	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.6	4.2	3.9	3.6	3.3	3.0	2.8	2.6
8.4	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	3.8	3.4	3.2	3.0	2.7	2.5	2.3	2.1
8.5	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.1	2.9	2.6	2.4	2.2	2.1	1.9	1.8
8.6	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.6	2.4	2.2	2.0	1.9	1.7	1.6	1.4
8.7	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.2	2.0	1.8	1.7	1.5	1.4	1.3	1.2
8.8	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.8	1.7	1.5	1.4	1.3	1.2	1.1	1.0
8.9	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.92	0.85
9.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.3	1.2	1.1	1.0	0.93	0.85	0.78	0.72

Table A3: Temperature and pH-Dependent Values of the Chronic Criterion for Total Ammonia Nitrogen; Unionid Mussels Present

pH	Temperature, Celsius																							
	0-7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
6.5	4.9	4.6	4.3	4.1	3.8	3.6	3.3	3.1	2.9	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.6	1.5	1.5	1.4	1.3	1.2	1.1
6.6	4.8	4.5	4.3	4.0	3.8	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1
6.7	4.8	4.5	4.2	3.9	3.7	3.5	3.2	3.0	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1
6.8	4.6	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1
6.9	4.5	4.2	4.0	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0
7.0	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.3	2.2	2.0	**1.9**	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0
7.1	4.2	3.9	3.7	3.5	3.2	3.0	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0
7.2	4.0	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.0	1.0	0.90
7.3	3.8	3.5	3.3	3.1	2.9	2.7	2.6	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.0	1.0	0.91	0.85
7.4	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.0	1.0	0.90	0.85	0.79
7.5	3.2	3.0	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.89	0.83	0.78	0.73
7.6	2.9	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.6	1.5	1.4	1.4	1.3	1.2	1.1	1.1	1.0	0.92	0.86	0.81	0.76	0.71	0.67
7.7	2.6	2.4	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	0.94	0.88	0.83	0.78	0.73	0.68	0.64	0.60
7.8	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.89	0.84	0.79	0.74	0.69	0.65	0.61	0.57	0.53
7.9	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.89	0.84	0.79	0.74	0.69	0.65	0.61	0.57	0.53	0.50	0.47
8.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	0.94	0.88	0.83	0.78	0.73	0.68	0.64	0.60	0.56	0.53	0.50	0.44	0.44	0.41
8.1	1.5	1.5	1.4	1.3	1.2	1.1	1.1	1.0	0.92	0.87	0.81	0.76	0.71	0.67	0.63	0.59	0.55	0.52	0.49	0.46	0.43	0.40	0.38	0.35
8.2	1.3	1.2	1.2	1.1	1.0	1.0	0.90	0.84	0.79	0.74	0.70	0.65	0.61	0.57	0.54	0.50	0.47	0.44	0.42	0.39	0.37	0.34	0.32	0.30
8.3	1.1	1.1	1.0	0.93	0.87	0.82	0.76	0.72	0.67	0.63	0.59	0.55	0.52	0.49	0.46	0.43	0.40	0.38	0.35	0.33	0.31	0.29	0.27	0.26
8.4	0.95	0.89	0.84	0.79	0.74	0.69	0.65	0.61	0.57	0.53	0.50	0.47	0.44	0.41	0.39	0.36	0.34	0.32	0.30	0.28	0.26	0.25	0.23	0.22
8.5	0.80	0.75	0.71	0.67	0.62	0.58	0.55	0.51	0.48	0.45	0.42	0.40	0.37	0.35	0.33	0.31	0.29	0.27	0.25	0.24	0.22	0.21	0.20	0.18
8.6	0.68	0.64	0.60	0.56	0.53	0.49	0.46	0.43	0.41	0.38	0.36	0.33	0.31	0.29	0.28	0.26	0.24	0.23	0.21	0.20	0.19	0.18	0.16	0.15
8.7	0.57	0.54	0.51	0.47	0.44	0.42	0.39	0.37	0.34	0.32	0.30	0.28	0.27	0.25	0.23	0.22	0.21	0.19	0.18	0.17	0.16	0.15	0.14	0.13
8.8	0.49	0.46	0.43	0.40	0.38	0.35	0.33	0.31	0.29	0.27	0.26	0.24	0.23	0.21	0.20	0.19	0.17	0.16	0.15	0.14	0.13	0.13	0.12	0.11
8.9	0.42	0.39	0.37	0.34	0.32	0.30	0.28	0.27	0.25	0.23	0.22	0.21	0.19	0.18	0.17	0.16	0.15	0.14	0.13	0.12	0.12	0.11	0.10	0.09
9.0	0.36	0.34	0.32	0.30	0.28	0.26	0.24	0.23	0.21	0.20	0.19	0.18	0.17	0.16	0.15	0.14	0.13	0.12	0.11	0.11	0.10	0.09	0.09	0.08

Table A4: Temperature and pH-Dependent Values of the Chronic Criterion for Total Ammonia Nitrogen; Unionid Mussels Absent and Fish Early Life Stages Present (March 1 – October 31)

pH	Temperature, Celsius																
	0-14	**15**	**16**	**17**	**18**	**19**	**20**	**21**	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
6.5	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.0	6.6	6.2	5.8	5.4	5.1	4.8	4.5	4.2
6.6	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	6.9	6.5	6.1	5.7	5.4	5.0	4.7	4.4	4.1
6.7	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.1	6.8	6.4	6.0	5.6	5.3	4.9	4.6	4.3	4.1
6.8	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.6	6.2	5.8	5.5	5.1	4.8	4.5	4.2	4.0
6.9	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.7	6.5	6.1	5.7	5.3	5.0	4.7	4.4	4.1	3.9
7.0	6.5	6.5	6.5	6.5	6.5	6.5	6.5	**6.5**	6.2	5.8	5.5	5.1	4.8	4.5	4.2	4.0	3.7
7.1	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.0	5.6	5.3	4.9	4.6	4.3	4.1	3.8	3.6
7.2	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.7	5.3	5.0	4.7	4.4	4.1	3.9	3.6	3.4
7.3	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.4	5.0	4.7	4.4	4.1	3.9	3.6	3.4	3.2
7.4	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.0	4.7	4.4	4.1	3.9	3.6	3.4	3.2	3.0
7.5	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.6	4.3	4.1	3.8	3.6	3.3	3.1	2.9	2.8
7.6	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.2	3.9	3.7	3.5	3.2	3.0	2.9	2.7	2.5
7.7	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.8	3.5	3.3	3.1	2.9	2.7	2.6	2.4	2.3
7.8	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.4	3.2	3.0	2.8	2.6	2.4	2.3	2.1	2.0
7.9	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8
8.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.6	2.4	2.3	2.1	2.0	1.9	1.7	1.6	1.5
8.1	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3
8.2	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1
8.3	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	0.96
8.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.3	1.2	1.1	1.1	0.99	0.93	0.87	0.81
8.5	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.1	1.0	0.95	0.89	0.83	0.78	0.73	0.69
8.6	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.97	0.91	0.85	0.80	0.75	0.70	0.66	0.62	0.58
8.7	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.86	0.82	0.77	0.72	0.68	0.64	0.60	0.56	0.52	0.49
8.8	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.70	0.65	0.61	0.58	0.54	0.51	0.47	0.44	0.42
8.9	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.60	0.56	0.52	0.49	0.46	0.43	0.41	0.38	0.36
9.0	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.54	0.51	0.48	0.45	0.42	0.40	0.37	0.35	0.33	0.31

Table A5: Temperature and pH-Dependent Values of the Chronic Criterion for Total Ammonia Nitrogen; Unionid Mussels Absent and Fish Early Life Stages Absent (November 1 – February 29)

pH	Temperature, Celsius																							
	0-7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
6.5	19	17	16	15	14	13	13	12	11	10	9.7	9.1	8.5	8.0	7.5	7.0	6.6	6.2	5.8	5.4	5.1	4.8	4.5	4.2
6.6	18	17	16	15	14	13	12	12	11	10	9.6	9.0	8.4	7.9	7.4	6.9	6.5	6.1	5.7	5.4	5.0	4.7	4.4	4.1
6.7	18	17	16	15	14	13	12	11	11	10	9.4	8.8	8.3	7.7	7.3	6.8	6.4	6.0	5.6	5.3	4.9	4.6	4.3	4.1
6.8	17	16	15	14	14	13	12	11	10	9.8	9.2	8.6	8.1	7.6	7.1	6.7	6.2	5.8	5.5	5.1	4.8	4.5	4.2	4.0
6.9	17	16	15	14	13	12	12	11	10	9.5	8.9	8.4	7.8	7.4	6.9	6.5	6.1	5.7	5.3	5.0	4.7	4.4	4.1	3.9
7.0	16	15	14	14	13	12	11	10	9.8	9.2	8.6	8.1	7.6	**7.1**	6.7	6.2	5.9	5.5	5.1	4.8	4.5	4.2	4.0	3.7
7.1	16	15	14	13	12	11	11	10	9.4	8.8	8.3	7.7	7.3	6.8	6.4	6.0	5.6	5.3	4.9	4.6	4.3	4.1	3.8	3.6
7.2	15	14	13	12	12	11	10	9.5	9.0	8.4	7.9	7.4	6.9	6.5	6.1	5.7	5.3	5.0	4.7	4.4	4.1	3.9	3.6	3.4
7.3	14	13	12	12	11	10	9.6	9.0	8.4	7.9	7.4	6.9	6.5	6.1	5.7	5.4	5.0	4.7	4.4	4.1	3.9	3.6	3.4	3.2
7.4	13	12	12	11	10	9.5	9.0	8.4	7.9	7.4	6.9	6.5	6.1	5.7	5.3	5.0	4.7	4.4	4.1	3.9	3.6	3.4	3.2	3.0
7.5	12	11	11	10	9.4	8.8	8.2	7.7	7.2	6.8	6.4	6.0	5.6	5.2	4.9	4.6	4.3	4.1	3.8	3.6	3.3	3.1	2.9	2.8
7.6	11	10	10	9.1	8.5	8.0	7.5	7.0	6.6	6.2	5.8	5.4	5.1	4.8	4.5	4.2	3.9	3.7	3.5	3.2	3.0	2.9	2.7	2.5
7.7	9.9	9.3	8.7	8.1	7.7	7.2	6.8	6.3	5.9	5.6	5.2	4.9	4.6	4.3	4.0	3.8	3.5	3.3	3.1	2.9	2.7	2.6	2.4	2.3
7.8	8.8	8.3	7.8	7.3	6.8	6.4	6.0	5.6	5.3	5.0	4.6	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.3	2.1	2.0
7.9	7.8	7.3	6.8	6.4	6.0	5.6	5.3	5.0	4.6	4.4	4.1	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8
8.0	6.8	6.3	6.0	5.6	5.2	4.9	4.6	4.3	4.0	3.8	3.6	3.3	3.1	2.9	2.7	2.6	2.4	2.3	2.1	2.0	1.9	1.7	1.6	1.5
8.1	5.8	5.5	5.1	4.8	4.5	4.2	4.0	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3
8.2	5.0	4.7	4.4	4.1	3.9	3.6	3.4	3.2	3.0	2.8	2.6	2.5	2.3	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1
8.3	4.2	4.0	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0
8.4	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.3	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	0.92	0.87	0.81
8.5	3.0	2.8	2.7	2.5	2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.2	1.1	1.0	1.0	0.89	0.83	0.78	0.73	0.69
8.6	2.6	2.4	2.2	2.1	2.0	1.9	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.0	1.0	0.91	0.85	0.80	0.75	0.70	0.66	0.62	0.58
8.7	2.2	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	0.93	0.88	0.82	0.77	0.72	0.68	0.63	0.60	0.56	0.52	0.49
8.8	1.8	1.7	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.0	1.0	0.90	0.85	0.79	0.74	0.70	0.65	0.61	0.58	0.54	0.51	0.47	0.44	0.42
8.9	1.6	1.5	1.4	1.3	1.2	1.1	1.1	1.0	0.94	0.88	0.82	0.77	0.72	0.68	0.64	0.60	0.56	0.52	0.49	0.46	0.43	0.40	0.38	0.36
9.0	1.4	1.3	1.2	1.1	1.0	1.0	0.92	0.87	0.81	0.76	0.71	0.66	0.62	0.58	0.55	0.51	0.48	0.45	0.42	0.40	0.37	0.35	0.33	0.31

Proposed Amendment to Chapter 3.3.F. Human Health Temperature Criterion (pg. 17).

The proposal clarifies that the criterion applies anywhere public access is possible, both inside and outside the mixing zone.

F. TEMPERATURE: The maximum temperature at any location where public access is possible, whether inside or outside a mixing zone, shall not exceed 110 degrees F to protect human health caused by exposure resulting from water contact.

Request for Input on Specification of Frequency and Duration For Numeric Criteria

The ORSANCO Pollution Control Standards contain over 130 individual water quality criteria for the protection of the water quality and beneficial uses of the Ohio River. Some of these criteria specify permissible durations of exposure or frequencies for permissible exceedances of the criteria, but many of the criteria do not have any duration or frequency associated with them. In cases where those values are specified, the Commission wants to ensure that the duration and frequency values in the current Pollution Control Standards remain scientifically sound and appropriate for the Ohio River. In cases where no duration or frequency is specified, we want to identify and incorporate an appropriate duration for averaging exposure for acute and chronic values, and a frequency of excursions of water quality criteria that is determined to be appropriate and allowable without significantly increasing the frequency or severity of all stresses to which ecological communities are naturally subjected.

The U.S. Environmental Protection Agency recommends that for acute criteria to protect aquatic life, the 1-hour exposure should not exceed the criterion maximum concentration (i.e. an averaging period of 1 hour) and for chronic criteria, an averaging period of 4 days, so that the 4-day averaging exposure should not exceed the chronic water quality criterion value.

With respect to the allowable frequency at which an aquatic life criterion may be exceeded without causing a violation of the water quality criteria, EPA has recommended an average frequency for excursions of both acute and chronic criteria not to exceed once in three (3) years.

The Commission seeks public comment on the frequency and duration values appropriate to the acute, chronic, human health (carcinogen), human health (non-carcinogen), and fish consumption criteria contained in the existing Pollution Control Standards, and encourages commenters to provide technical support and references for the frequency and duration values proposed in the comments.

Proposed Amendment to Chapter 5.5.C. Notification of Upsets and Bypasses from Industrial Waste Treatment Facilities (pg. 24)

The proposal extends the notification requirement to include spills.

5.5.C. Industrial waste treatment facilities shall notify ORSANCO of all upsets, bypasses and spills within two hours of their discovery.